

TORNADO GLOBAL HYDROVAC

Leading the global Hydrovac industry through a customer-centric approach to the design, manufacturing, and service of Hydrovac trucks, we've produced a fleet of best-in-class hydrovacs, to innovate four distinct use-case operations.

TORNADOTRUCKS.COM | 4100, 77 ST. RED DEER, AB CANADA T4P 3P7 | 1 877 340 8141



F2 URBAN

Designed to maneuver with precision through congested urban centers, the Tornado F2 Urban Hydrovac is a lightweight force in any downtown operation. The smallest member of the Tornado fleet of Hydrovac trucks.

To navigate tight corners, the F2 is the only model to utilize lockable, weather resistant cabinets in place of a heated van body. This compact design allows the F2 Urban to redefine what it means to be "agile" in the downtown.



F3 CITY

Larger than its F2 counterpart, the Tornado F3 City Hydrovac is designed as a mid-range solution with a use case that spans industrial and commercial worksites to tight residential alley ways.

As the smallest Hydrovac model to possess a heated van body, the enclosure can range from 42" - 48". Striking the right balance between maneuverability and payload, the F3 is an absolute unit in any operation's arsenal.



F4 RURAL

Engineered for long-hauls, the Tornado F4 Rural Hydrovac optimizes hauling capacity while maintaining great highway fuel economy, requiring fewer loads to get the job done.


The F4 is equipped with a heated van body that ranges in size from 42" - 70", with ample space for additional tools, gear, and equipment. Taking on large jobs, the F4 accomplishes heavy payload hauls across the largest township regions.



F5 REMOTE

Hitting at the top of its weight class, the Tornado F5 Remote Hydrovac maximizes payload capacity while engineered to remaining on-side with commercial transport regulations.

Sharing the same maximum heated van body space as the F4, if remote work sites are commonplace in your operation, the F5 Remote will get it done with the least hauls possible, to maximize your return on investment, every time.



STANDARD BLOWERS

Industrial positive displacement blowers are renowned for their quality, dependability, and superior performance, supplying the vacuum power to handle the toughest jobs.

PERFORMANCE OPTIONS BY MODEL


- The F2 and F3 Standard Blowers are 3800 CFM 27inHg
- The F4 and F5 Standard Blowers are 6300 CFM 27inHg

SUPERIOR PAINT JOBS

For over 35 years our automotive-quality paint finish has outperformed our competitors, by offering outstanding resistance to chemicals, abrasion, and rock guard impacts. Our tank interior is coated with a two-part direct to metal epoxy product, and our exterior painting process delivers outstanding quality to reduce the risk of paint fading, chipping, and rusting during the lifespan of your truck.

Our solid color, metallic, and pearl finishes deliver a sustained sense of pride in the lasting appearance and resilience of your investment.

Yet another reason why Tornado Global Hydrovac remains the unsurpassed envy of the industry.



THE VORTEX SYSTEM

We've advanced the Hydrovac industry once again with a next-generation controller that enhances safety versatility and reliability. Serving as a centralized control system for your Hydrovac's entire operation, Vortex offers one touch pre-sets to facilitate game changing operational control.





BOOM, TURRET & HOSE

Engineered to maximize work area, the turret has a rotational range of 342° and is equipped with a speed access hatch, allowing for quick removal of the deflector plate. The 8 hose possesses a hydraulically actuated, extendable boom to achieve an impressive reach of 26.

- I N N O V A T E - YOUR OPERATION

Only by understanding the operating challenges of our customers, are we able to deliver customer-centric solutions. By designing with intent, and manufacturing with precision, we continue to innovate industry.

Join us as our partners have, in innovating industry!



TORNADOTRUCKS.COM | 4100, 77 ST. RED DEER, AB CANADA T4P 3P7 | 1 877 340 8141